

**National Certified Reference Material (NCRM)**

Code: GBW 06203



**Reference Material Certificate**



CRMs of acetanilide for elemental content

Batch Number:



Certification Date:

Period of Validity to:



Reference Material Producer: National Institute of Metrology of China

Address: No.18, Bei San Huan Dong Lu, District of Chaoyang, Beijing (Post code: 100029)

Telephone: 010-64524710

Email: [crm-service@nim.ac.cn](mailto:crm-service@nim.ac.cn)



Version: 1.0



the sample of certificate for reference

Certified reference materials (CRMs) of acetanilide for elemental content can be used to calibrate the organic elemental analyzer, and to prepare the CRM of organic solution for nitrogen content.

### 1. Description of Material & Preparation

The commercial raw material of acetanilide of Analytical Grade (AG) was purified by the zone melting method and then packaged in the glass bottles.

### 2. Traceability and certification

The certified elemental content of CRM was calculated based on the content of components and the elemental content of corresponding molecules. The content of organic impurity was determined by the combination of gas chromatography – mass spectrometry and differential scanning calorimetry. The water content was determined by the Karl Fischer coulometric titration. The inorganic impurity content was determined by weighing the residue on ignition. The certified value was traceable to the SI units of mass of pure substance, temperature, and atomic weight.

### 3. Certified values and uncertainties

No.	Elemental mass fraction ( $\times 10^{-2}$ )		Uncertainty ( $\times 10^{-2}$ )
GBW06203	Carbon	71.088	0.003
	Hydrogen	6.712	0.002
	Nitrogen	10.363	0.001

The uncertainty of certified value contains the uncertainty from certification, that from homogeneity and stability.

### 4. Homogeneity and Stability Testing

According to the requirement of national technique criterion and statistic theory on primary CRM (JJF 1343-2012), these certified reference materials were random selected. And then the organic impurity content, water content and inorganic impurity content was measured by the gas chromatography – mass spectrometry, Karl Fischer coulometric titration, and weighing the residue on ignition, respectively. The elemental content of sample was calculated based on the content of components and the elemental content of corresponding molecules. The results of homogeneity and stability tests showed that the homogeneity and stability are qualified. The period of validity of this CRM is 12 months since the date of certification. The stability of this CRM is regularly monitored by the CRM producer.

### 5. Instructions for package, storage and use

1. Package: This CRM is packaged in the glass bottles, and each bottle contains no less than 2g.

2. Storage: This CRM should be stored at room temperature.
3. Use: After sampling, screw the top of bottle to make the bottle sealed.

#### STATEMENT

1. The CRM is only limited in use of scientific research and analytical measurement. Any loss caused by improper use and storage by customer will not be respond by maker.
2. Please check the kind, number and package as soon as the sample arriving. The compensate do not relate to any loss except for the CRM.
3. The maker only answer for the intact certificate with CRM cachet of NIM. Please keep the certificate appropriately.
4. Please contact with technical consultant section, if more information related to the use of the CRM is needed.

National Institute of Metrology of China, Address: No.18, Bei San Huan Dong Lu, District of Chaoyang  
Tel for distribution: +86(10)64524710. Tel for technical consultation: +86(10)64524776, 64524793,  
64524794, 64524795  
Fax: +86-10-64524716、+86-10-64524715  
Website: [www.nim.ac.cn](http://www.nim.ac.cn) ; [www.ncrm.org.cn](http://www.ncrm.org.cn)

